



## AIR COOLED EUROVENT & AHRI CERTIFIED CHILLERS

Clivet Eurovent Certified Air Cooled Chillers range from Twin Section Liquid Chillers available with Inverter Screw Compressors and Multi Stage Scroll Compressors with R1234ze, R32, R410a and R513a refrigerant



## CLIVET MULTI FUNCTION CHILLERS

Clivet Eurovent 4 Pipe Multi-Function Chillers provide absolute flexibility for a client's needs in providing concurrent cooling and heating solutions. Clivet offer a full range of Multi-Function Chillers with onboard pumps, buffer tanks and the highest specification coil protection

## AIR COOLED LIQUID CHILLERS

Air Cooled liquid chillers and heat pumps scroll inverter technology for commercial and industrial installations with Low Environmental Impact Solution R32 refrigerant.

- Cooling Only, 43-98kW range
- Reversible heat pump, 22-55kW range
- High Seasonal efficiencies
- Low GWP
- Silenced with sound levels reduced by -8 dB
- Super-silenced with sound levels reduced by -10dB







## ROOF TOP PACKAGE UNITS

We provide customers with the largest range of DX and Roof Top Packaged systems available globally. Our range in capacities allows us to explore all your HVAC needs and to deliver both a technical and energy efficient solution.

## HEAT RECOVERY & FULL FRESH AIR DX PACKAGE UNITS

Clivet provides the largest range of heat recovery and full fresh air package units available globally. Our large range allows us to deliver an unrivalled technical and energy efficient solution. Our Full Fresh Units Provide flexible options and configurations



## AHU

Premium spec Air Handling Units for high profile projects and/or high humidity applications in modular design, they have the flexibility to add components as required. MAHU use unitary structure design that have more outstanding cold – bridge – free performance, lower air leakage and a more elegant appearance.

- TB1( $0.75 \leq k < 1.00$ ) thermal bridging class, And T2( $0.5 < U \leq 1$ ) thermal transmittance class.
- Eurovent certified
- Certified testing to EN 1886



